



topolino mobil

/// Data Sheet

Mobile magnetic mini-stirrer for mixing quantities up to 250 ml for battery and mains operation.

- Durable, brushless motor
- Continuously adjustable speed range
- High magnetic adhesion
- Portable operation with long operating time (8-12 h)
- Short charging time (2-3 h)
- Standard replaceable AA rechargeable batteries
- Optional power mode:
 - a) Mains-free with standard batteries



designed for scientists

- b) With supplied mains adapter (without batteries)
- c) Combined mains/battery operation (with batteries fitted)





designed for scientists

Technical Data

| | |
|---|----------------|
| Number of stirring positions | 1 |
| Stirring quantity max. per stirring position (H ₂ O) [l] | 0.25 |
| Speed range [rpm] | 500 - 1800 |
| Stirring bar length max. [mm] | 30 |
| Set-up plate material | synthetic (PP) |
| Set-up plate dimensions [mm] | Ø 80 |
| Battery operation | yes |
| Dimensions (W x H x D) [mm] | 140 x 42 x 140 |
| Weight [kg] | 0.747 |
| Permissible ambient temperature [°C] | 5 - 40 |
| Permissible relative humidity [%] | 80 |
| Protection class according to DIN EN 60529 | IP 20 |
| Voltage [V] | 100 - 240 |
| Frequency [Hz] | 50/60 |
| DC Voltage [V=] | 9 |
| Current consumption [mA] | 1000 |